

DESCRIPTION: **One (1) or More 2017 Model or Newer 66,000 GVW Tandem Axle Dump Truck(s) With 16 Foot Dump Dump Body**

SOLICITATION NUMBER: 464-16-R-IFBD-00021

BID DUE DATE AND TIME: **JUNE 09, 2016 AT 2:00 P.M. LOCAL TIME**

The Mississippi Department of Wildlife, Fisheries and Parks will accept sealed bids until **1:59 p.m., June 09, 2016** to be opened immediately.

Bid Opening Location: **MS Department of Wildlife, Fisheries and Parks
Attn: Purchasing Department
1505 Eastover Dr.
Jackson, MS 39211-6374**

For questions regarding Specifications and General Terms and Conditions contact:

**Candice Webster
Accountant/Auditor III
(601) 432-2152
candicel@mdwfp.state.ms.us**

1.1 INTRODUCTION

- 1.1.1 The Mississippi Department of Wildlife, Fisheries and Parks requests sealed bids for the purchase and delivery of one (1) or more, not to exceed three (3), 2017 Model or Newer 66,000 Tandem Axle Dump Truck(s) with 16 Foot Dump Body.
- 1.1.2 The initial purchase described by this Invitation to Bid shall be for one (1) or more, not to exceed three (3), 2017 Model or Newer 66,000 Tandem Axle Dump Truck(s) with 16 Foot Dump Body.
- 1.1.3 The agency reserves the right to define equals, reject any and/or all bids, or any part of any/or all bids, and to waive any informality.
- 1.1.4 Awards will be made based on the lowest and best bid. It is the intent of the agency to purchase of one (1) or more dump trucks, not to exceed three (3). Total quantity purchased will be based on budget availability. The Invitation to Bid consists of one (1) bid proposal form. Bidders must submit a completed bid proposal form. However, we reserve the right to award in the best interest of the Mississippi Department of Wildlife, Fisheries and Parks.
- 1.1.5 The bidder agrees to deliver within **60 days** of award. Failure to do so may result in cancellation of award. If cancellation of award occurs, new award will be made to the next lowest bidder meeting required specifications.

1.2 GENERAL SPECIFICATIONS

- 1.2.1 The specifications set forth herein represent a minimum of required equipment and operational needs of the Mississippi Department of Wildlife, Fisheries and Parks. The bidder may propose options above and beyond these specifications that best suit MDWFP's interests as determined by the agency.
- 1.2.2 Please respond "Yes" or "No" to indicate compliance to the specifications for each listed criterion, and add comments as needed.

1.3 SUBMISSION REQUIREMENTS

1.3.1 All bids must be submitted electronically. Bids submitted by mail or email will not be accepted. Please refer to the links below for the Vendor Registration website as well as tutorials. Please contact the MASH Help Desk (601-359-1343) if you require any assistance.

Registration Website

https://sus.magic.ms.gov/sap/bc/webdynpro/sapsrm/wda_e_suco_sreg?sap-client=100#

Tutorial For Registration Process

http://uperform.magic.ms.gov/ucontent/7506bb9015c348dd8c10223a706188d0_en-US/course/html/course.htm

Tutorial for Bid Submission

http://www.mmrs.state.ms.us/vendors/Supplier_Training.shtml

Click on Supplier Self Service eLearning

Then Click Launch Course

In the top right corner, click MENU

Find Lesson 2: RFx

And follow the instructions.

1.3.2 Upload the following documents:

Bid Proposal Form. Complete the bid proposal form and upload the document. The attachment should be named *Bid Proposal Form*.

Terms and Conditions

1. The Mississippi Department of Wildlife, Fisheries and Parks reserves the right to reject any and/or all bids, to waive any informality in bids, and unless otherwise specified by the bidders, to accept any items on the bid. If the bidders fail to state the time within bids must be accepted, it is understood and agreed that the Mississippi Department of Wildlife, Fisheries and Parks shall have sixty (60) days to accept.
2. A written purchase order or contract award letter mailed or otherwise furnished to the successful bidder within the time of acceptance specified in the Invitation to Bid, results in a binding contract without further action by either party.
3. No bid shall be altered or amended after the specified time for opening bids.
4. Contracts and purchases will be made or entered into with the lowest, responsible bidder meeting specifications.
5. If purchase orders or contracts are canceled because of the awarded vendor's failure to perform or request for price increase, that vendor shall be removed from our bidders' list for a period of twenty-four (24) months.
6. Bid openings will be conducted open to the public. However, they will serve only to open bids. No discussion will be entered into with any vendor as to the quality or provisions of the specifications, and no award will be made either stated or implied at the bid opening. All bidders are invited and encouraged to attend the bid opening meeting to review the submitted bids. After the close of the bid opening meeting, the bids will be considered to be in the evaluation process and will not be available for review by bidders. Questions shall not be answered as a result of telephone inquiries.
7. Invoices are to be mailed to:

Accounts Payable
Mississippi Department of Wildlife, Fisheries and Parks
1505 Eastover Drive, First Floor
Jackson, Mississippi 39211-6374

Payment will be made 45 days after receipt of merchandise and original invoice.

8. It shall be incumbent upon the bidders to understand the specifications. Any requests for clarifications shall be in writing and shall be submitted to our Purchasing Office at least five (5) days prior to the date and time set for the bid opening. Requests for clarifications and/or questions should be emailed to our Purchasing Office Email Address: brianf@mdwfp.state.ms.us

9. Questions or problems arising from bid procedures or subsequent order and delivery procedures should be directed to:

Candice Webster, Accountant/Auditor III
1505 Eastover Drive, First Floor
Jackson, MS 39211
Email address: candicel@mdwfp.state.ms.us

10. The minimum specifications are used to set a standard and in no case are used with the intention to discriminate against any manufacturer. Bidders should note the name of the manufacturer and model number of the product they propose to furnish and **submit descriptive literature**.

11. Protests. Protest regarding this Invitation to Bid is governed by the Mississippi Procurement Manual, Section 6.

The manual may be viewed at
<http://www.dfa.state.ms.us/Purchasing/ProcurementManual.html>

Pursuant to Section 6.101.02 and 6.101.03, Vendors must protest within seven (7) days after they know or should have known of the facts giving rise to the protest. Protests involving the Invitation to Bid and any of its contents should be made within seven (7) days of the posting of the Invitation to Bid. When all *Proposals* have been read, recorded and results posted, a Proposing Firm may choose to protest the award.

All protests must be made in writing to the Mississippi Department of Wildlife, Fisheries and Parks contact provided herein above (page 2), with copy to:

Chief Procurement Officer
Woolfolk Building, Suite 701
501 North West Street
Jackson, Mississippi 39201

No protests will be considered later than seven (7) days following the posting of the INTENT TO AWARD notification.

The letter of protest should identify the Project, include what is being protested, why it is being protested, and be signed by the individual who is protesting.

12. E-Verify. Contractor/Seller represents and warrants that it will ensure its compliance with the Mississippi Employment Protection Act, Section 71-11-1, et seq of the Mississippi Code Annotated (Supp 2008), and will register and participate in the status verification system for all newly hired employees. The term "employee" as used herein means any person that is hired to perform work within the State of Mississippi. As used herein, "status verification system" means the illegal Immigration Reform and Immigration Responsibility Act of 1996 that is operated by the United States Department of Homeland Security, also known as the E-Verify Program, or any other successor electronic verification system replacing the E-Verify Program. Contractor/Seller agrees to maintain records of such compliance and, upon request of the State and approval of the Social Security

Administration or Department of Homeland Security, where required, to provide a copy of each such verification to the State. Contractor/Seller further represents and warrants that any person assigned to perform services hereunder meets the employment eligibility requirements of all immigration laws of the State of Mississippi. Contractor/Seller understands and agrees that any breach of these warranties may subject Contractor/Seller to the following: (a) termination of this Agreement and ineligibility for any state or public contract in Mississippi for up to three (3) years, with notice of such cancellation/termination being made public, or (b) the loss of any license, permit certification or other document granted to Contractor/Seller by an agency, department or governmental entity for the right to do business in Mississippi for up to one (1) year, or (c) both. In the event of such termination/cancellation, Contractor/Seller would also be liable for any additional costs incurred by the State due to contract cancellation or loss of license or permit."

The State requires the Contractor to submit invoices electronically throughout the term of the agreement. Vendor invoices shall be submitted to the state agency using the processes and procedures identified by the State. Payments by state agencies using the Mississippi Accountability System for Government Information and Collaboration (MAGIC) shall be made and remittance information provided electronically as directed by the State. These payments shall be deposited into the bank account of the Contractor's choice. Contractor understands and agrees that the State is exempt from the payment of taxes. All payments shall be in United States currency.

13. If the agency is closed for any reason, including but not limited to: acts of God, strikes, lockouts, riots, acts of war, epidemics, governmental regulations superimposed after the fact, fire, earthquakes, floods, or other natural disasters (the "Force Majeure Events"), which closure prevents the opening of bids at the advertised date and time, all bids received shall be publicly opened and read aloud on the next business day that the agency shall be open and at the previously advertised time. The new date and time of the bid opening, as determined in accordance with this paragraph, shall not be advertised, and all Vendors/Contractors, upon submission of a bid proposal, shall be deemed to have knowledge of and shall have agreed to the provisions of this paragraph. Bids shall be received by the agency until the new date and time of the bid opening as set forth herein. **The agency shall not be held responsible for the receipt of any bids for which the delivery was attempted and failed due to the closure of the agency as a result of a Force Majeure Event.** Each Vendor/Contractor shall be required to ensure the delivery and receipt of its bid by the agency prior to the new date and time of the bid opening

Minimum Specifications for One (1) or More 2017 Model Or Newer 66,000 GVW Tandem

Axle Dump Truck(s) With 16 Foot Dump Body

(Must meet or exceed the following minimum specifications and requirements)

Compliance

VEHICLE CONFIGURATION		
yes	no	2017 Model 66,000 GVW Tandem Axle Dump Truck(s) With 16 Foot Dump Body
yes	no	The dump truck(s) will have a set forward axle.
yes	no	The trailer towing provision will be at end of truck frame.
ENGINE		
yes	no	15L, 505 horsepower, In-Line 6 Cylinder Diesel w/1750 lb/ft torque
yes	no	GHG17 EPA Certification / 2016 OBD Diagnostics
yes	no	2008 Carb Emissions Certification with Sticker on Door
yes	no	Diesel Engine Compression Brake
yes	no	Electronic Engine Shutdown Protection System
yes	no	Minimum Engine Warranty 60 Months/200,000 miles
yes	no	160 AMP Alternator 36-SI Brushless Pad Mount
yes	no	High Capacity Air Cleaner With Dual Passive Precleaners
yes	no	Battery Disconnect Switch Mounted In Cab
yes	no	Positive and Negative Jump Posts For Jump Start
yes	no	Non-Polished Diamond Plate Battery Box Cover
yes	no	(3) 12 Volt/3375 CCA Batteries
yes	no	19 CFM Air Compressor
yes	no	Vertical Exhaust with Turnout No Higher Than Cab
yes	no	Minimum 13 Gallon DEF Tank With Aluminum Cover, 100% Filled At Delivery
yes	no	On/Off Fan Clutch With Switch in Dash
yes	no	Extended Life Coolant Hoses
yes	no	Exhaust Mounted to B-Pillar
yes	no	Automatic Over the Road Regeneration Feature
yes	no	1500 sq. in. Radiator with -34 F Heavy Duty Coolant
yes	no	Power Steering with 4 Quart Cooling Reservoir
TRANSMISSION		
yes	no	Fully Automatic, 6-Speed Transmission with PTO Provision and Rated for 1750 lb/ft of torque
yes	no	Push Button Electronic Shift Control, Dash Mounted
yes	no	Electronic Transmission Customer Access Connector Back of Cab
yes	no	Synthetic Transmission Oil (TES-295 Compliant)
FRONT AXLE		
yes	no	Set Forward Front Axle
yes	no	20,000 # Front Axle with Dust Shields and Iron Hubs
yes	no	20,000 # Taperleaf Suspension w/ Shock Absorbers
yes	no	16.5" X 6" Brake Shoes and Automatic Slack Adjusters and Dust Shields
yes	no	Vented Front Hub Caps With Window
yes	no	Synthetic Axle Lube
REAR AXLE		
yes	no	46,000 # Tandem Rear Axles with Lube Pumps
yes	no	Full Differential Lockout with Switches / Both Tandem Rear Axles
yes	no	46,000 # Fully Articulating Rear Suspension (ONLY)
yes	no	Suspension Preference: (Tuftrac, T-Ride, Camelback, Chalmers or Equivalent)
yes	no	Heaviest Duty Main and Interaxle Drivelines Available (SPL250HD XL Dana Main Driveline / SPL170 XL Dana Interaxle Driveline Preferred)
yes	no	4.89 Axle Ratio / Truck Must Be Able To Achieve 78 MPH
yes	no	16.5" X 8.62" Brake Shoes w/ Automatic Slack Adjusters and Dust Shields
BRAKE SYSTEM		
yes	no	Anti-Lock Air Brakes
yes	no	Air Dryer w/ Heater and Pet Cock Valves on Reservoirs
yes	no	Aluminum Air Brake Reservoirs
TRAILER CONNECTIONS		
yes	no	Air Connection To End of Frame With Glad Hands and Dust Covers
yes	no	Additional Air Line With Plumbing to End of Frame With Cut-Off Control
yes	no	SAE J560 7-Way Primary Cable Receptacle End of Frame
yes	no	Supplemental, High Current, 90-Amp, Single Pin Receptacle Located With Primary Receptacle at End of Frame
FRAME AND WHEELBASE		

yes	no	228" WB / 132.68" C/L (CA) or applicable for body specified
yes	no	Heavy Duty, 12" X 1/4" Chromed Steel Bumper
yes	no	Heavy Duty Center Mounted Tow Pin
yes	no	Heavy Duty 120 KSI Frame, Minimum 7/16" X 3-9/16" X 11-1/8"
yes	no	1/4" C-Channel Frame Reinforcement for the Full Length of the Frame
yes	no	Frame Section Modulus of 31.00 cu. in. per Rail; Frame RBM Minimum of 3,715,200
yes	no	Heavy Duty Steel 6-Piece Bolted Construction Midship Crossmember(s)
yes	no	Steel C-Channel Crossmember, Bolted Construction, Rear Mounted Suspension Crossmember
FUEL TANKS AND EQUIPMENT		
yes	no	Aluminum Fuel Tanks / 200 Gallon Capacity Total
yes	no	Fuel Filter / Water Separator
CAB		
yes	no	Heavy Duty Non-Automotive Type, Minimum 122 Inch BBC
yes	no	Heavy Duty Aluminum Cab
yes	no	Air Mount Cab / Easy-Ride
yes	no	Fender Extensions
yes	no	LH and RH Grab Handles, Exterior and Interior
yes	no	Non-Removable Bug Screen Mounted Behind Grill
yes	no	Mirrors, Exterior Dual Heated with LH and RH Remote with Dual Convex Mirrors Mounted Below
yes	no	LH and RH Side Mirror Mounted LED Turn Signals, Factory Installed or After-Market
yes	no	RH Down View Mirror
yes	no	Electric Door Locks
yes	no	Chrome Hood Mounted Air Intake Grill
yes	no	Stainless Steel Sun Visor
yes	no	RH & LH Electric Windows with Tinted Door Glass
yes	no	LED Marker Lights
yes	no	Dual Air Horns, Polished Aluminum
yes	no	12V Power Supply In Dash
yes	no	Heater and Defroster with Air Conditioner
yes	no	Premium High Back Air Suspension Driver's Seat with Multiple Chambers, Forward and Rear Cushion Tilt, and Adjustable Shock Absorber
yes	no	Matching Air Suspension High Back Passenger Seat
yes	no	Dual Driver and Passenger Armrests
yes	no	Black Cloth Seat Covers for Driver and Passenger Seats With Most Durable Cloth Material Available to the Vendor
yes	no	Tilt and Telescoping Steering Wheel
yes	no	Cruise Control
yes	no	Dash Mounted Air Restriction Gauge
yes	no	Engine Coolant and Engine Oil Temperature Gauge
yes	no	Tachometer, Backup Alarm, Oil Pressure Gauge
yes	no	Transmission Oil Temperature Gauge
yes	no	Low Air Pressure Warning w/ Light and Buzzer
yes	no	Dash Mounted Ash Tray and Lighter
yes	no	Power and Ground Terminals for CB Radio
yes	no	AM/FM Radio with Weatherband and Handsfree Bluetooth with Microphone
yes	no	Automatic Self-Reset Circuit Breakers in Lieu of Fuses
yes	no	5LB Fire Extinguisher And Triangular Reflectors
yes	no	Multi-Band Mirror Mounted Antenna System
yes	no	Electric Windshield Wipers w/ Delay
yes	no	Vehicle Performance Monitoring for Engine Diagnostics with Email and 5-year subscription
yes	no	Dual, Cab Mounted, CLASS 1 Amber LED Strobe Lights (Low Profile) on Stainless Brackets
yes	no	Two Flush Utility Lights Mounted on Back of Cab
yes	no	2 Extra Switches In Dash
yes	no	Cab Color MS Department of Wildlife Tan
TIRES AND WHEELS		
yes	no	425/65R22.5, 20 Ply Front Tires (Goodyear G278 MSD, Michelin, or Equivalent). Must Have Open Shoulder Tread Design for Off-Road Use.
yes	no	22.5 X 12.25 10-Hub Pilot 4.68 Inset 10-Hand Aluminum Disc Front Wheels
yes	no	11R24.5, 16 Ply Rear Tires (Goodyear G177, Michelin X Works XDY, or Equivalent). Must Have Open Shoulder Tread Design for Off-Road Use with Minimum 32/32 (1 inch) Tread Depth
yes	no	24.5 X 8.25 10-Hub Pilot, 2-Hand HD Steel Disc Rear Wheels
BODY		
yes	no	(Compliance indication includes all of the specifications listed below.)

	Body Type: Extreme Duty, Elliptical Dump Body Design for Extreme Duty Applications Involving Large Rock, Construction Rip Rap, and Demolition Materials
	Body Length: 16 ft.
	Body Width: 85" ID
	Front Height: 56"
	Yardage: 15
	Understructure: 8" I Beam (@ 23# per foot) longills
	Sides: Fabricated from 1/4" HardOx 450 Steel 42" Height Board Holder Height: 8"
	Side Top Rail: Diamond - 4" X 4" X 1/4"
	Floor: One Piece, 3/8" HardOx 150 Steel
	Tailgate: One Piece, 1/4" HardOx 450 With 1 Horizontal Brace Air Tailgate With Release That Driver Can Operate from Cab, Dual Cylinder Air Latch Height: 50" Tailgate with 2 Greaseable Pins and Bushings and Dirt Shedding Angle
	Rear Hinge: Heavy Duty, Export Type Hinge, 6" X 6" X 3/8" Structural Angle, Place Factory Rear Crossmember in Front of Rear Hinge
	Cab Shield: Full Width (85") Cab Shield With 36" Cab Shield Projection
	Dump Apron: 10" x 1/4" HardOx 450 Steel Plate Dump Apron with 1/4" HardOx 450 Steel Gussets on Apron and Schedule #80 Pipe on Rear
	Hoist: NTEA Class 100 or Better, 3 Stage Cylinder; Active Largest Stage Size, Minimum 7" Diameter Hydraulic Tank - Pyramid Flat Bottom 3/8" HardOx 450 Steel Hoistwell With Dirt Sheddars
	Cab Controls: Auto Transmission - Electric Shift PTO/Air Shift Feather Control Pump
	Pump - Auto Transmission - Pump Kit Air Shift C102-D-2.5 Direct Mount, Clockwise
	PTO - Auto Transmission: Automatic Transmission/Hot Shift
	Boards: 8" Hardwood Boards Painted to Match Body
	Paint: Body to be Sandblasted, phosphate washed, Primed with High Build Epoxy Primer, Painted with Polyurethane Topcoat
	Lighting: Custom Wiring Harness, Federal Standard 108 ALL LED Lights Stop, Turn, and Tail Lights Recessed in rear Corner Posts Side Light Cutouts: Lower Front/Rear Clearance Side Light Quantity: Lower Front Amber/Rear Clearance Red Cab Shield Cutouts: One Set Cab Shield Light Quantity: One Set Amber Metro Light Cutouts: Two Sets Metro Light Quantity: One Set Red/One Set Amber Strobe
	Pintle Hitch: 45-Ton Pintle Hitch with 7-Way Plug and Glad Hands, Mounted on a 1" Hitch Plate
	Toolbox: 36" X 18" X 18", Steel with T-Latch. Recess Tool Box For Side Loading.
	Steps: Exterior and Interior at Front of Body, Both Sides
	Dirt Shedder on Frontgate
	30" Standard Mud Flaps with Gravel Guards in Front of Tandems
	Backup Alarm
	Shovel Holder on Frontgate on Driver's Side
	Conspicuity Tape, Full Lenth Down Side of Skirt and on Rear.

WARRANTY		
yes _____	no _____	ENGINE: Truck shall include, in the original purchase price, a 60 month / 200,000 mile (to expire whichever comes first) engine warranty. Full engine warranty description shall be submitted with bid for review. Engine warranty must include, at a minimum, all of the following items for the full length of the warranty: air compressor, fuel injectors, turbocharger, water pump seal; aftertreatment pressure sensors, temperature sensors, control module; DEF pump, metering unit, and injection unit; electrical harness and connectors, hydrocarbon fuel line, hydrocarbon injection valve, hydrocarbon metering unit; seals - front and rear crankshaft, aftertreatment NOX sensors, aftertreatment system mounting, brackets and clamps; diesel oxidation catalyst and housing, diesel particulate filter and housing; SCR catalyst and housing, air inlet manifold, air intake throttle valve, camshaft assembly and seals, cylinder block, cylinder head and head gasket, exhaust manifold, fuel filter housing, oil pump, pistons, turbo compounding device, and main bearings.
yes _____	no _____	TRUCK COVERAGE: Truck shall include, in the original purchase price, a 60 month/100,000 mile (to expire whichever comes first) truck warranty coverage. Truck warranty must include, at a minimum, all of the following items for the full lenth of this warranty: front suspension, rear suspension, air intake system, ignition system, charging system, cranking system, charge air cooler, climate control (HVAC),

		cooling, and drive shaft.
yes _____	no _____	BASIC VEHICLE: Truck shall include, in the original purchase price, a 1-year, unlimited-mile warranty covering all factory installed components including climate control, cooling, suspension, steering, starter, alternator, drivelines, chassis wiring & connectors, gauges and switches, charge air cooler, air system, braking system, interior components, and factory installed accessories.
yes _____	no _____	TOWING: Truck shall include, in the original purchase price, a 2-year, unlimited-mile towing coverage that covers up to \$550 per occurrence for towing or roadside assistance for a defect in material and workmanship of a component that prevents the safe and lawful operation of the vehicle.

SERVICE / MAINTENANCE AGREEMENT

yes _____	no _____	Truck shall include, in the original purchase price, a comprehensive service and preventative maintenance (PM) agreement for a minimum of 5 years and up to a maximum of 100,000 miles per year. The service plan must include all PM services (at a minimum of 1 per year, no matter what the mileage or hours on the truck) that this vehicle would need over the course of the 5 years and up to 100,000 miles per year. PM service interval must be every 15,000 miles or 385 hours, whichever comes first. PM services must be done at the selling dealership's location. PM services must include changing of all filters (including oil, fuel, and air filters) at each service interval along with whatever fluids need to be changed at that point. Maintenance plan must include, in the original price, a valve lash adjustment at 100,000 miles or 2,565 hours (whichever comes first) and at 500,000 miles or 12,825 hours (whichever comes first). Maintenance plan must include, in the original purchase price, a DEF pump filter change at 50,000 miles or 1,280 hours (whichever comes first). In addition to the service plan, it is the responsibility of the selling dealer, for the full 5 years and up to 100,000 miles per year, to pick up the vehicle at whichever management area within the state of Mississippi that the truck may be at the time the service is due, and deliver it to the selling dealership to perform the PM services. All transportation costs will be at the expense of the selling dealership. Selling dealership must be insured and covered to operate the vehicle.
-----------	----------	---

GENERAL

yes _____	no _____	Dealership Must Provide Parts/Warranty/Service Location Within 100 Mile Radius of Fulton, MS.
yes _____	no _____	Dealership Must Provide Outline of all Warranties and Coverage.
yes _____	no _____	Dealership Must Provide DOT Inspection.
yes _____	no _____	Dealership Must Provide On-Site Driver Training for Cab Chassis and Body.
yes _____	no _____	Dealership Must provide 24-hour and weekend service at a minimum of 1 location within state of MS.
yes _____	no _____	Federal Excise Tax should not be included in this bid.
yes _____	no _____	Dealership must provide parts and service credit account so that labor can be performed and invoiced after repairs and maintenance have been completed.
yes _____	no _____	Service and repair of engine must be completely accessible from underneath hood. Not to be accessed from within cab.

DELIVERY

yes _____	no _____	Delivery of the truck will be to Canal Section Wildlife Management Area, 5705 Highway 178, Fulton, MS. Delivery location for any other unit which may be purchased will be determined.
-----------	----------	--

BID PROPOSAL FORM 1

Mississippi Department of Wildlife, Fisheries, and Parks
Attention: Candice Webster
P.O. Box 451
Jackson, MS 39205-0451

Having examined the specifications for one (1) or more, not to exceed three (3), 2017 Model or Newer 66,000 Tandem Axle Dump Truck(s) with 16 Foot Dump Body to be delivered to Canal Section Wildlife Management Area, 5705 Highway 178, Fulton, MS, the undersigned proposes to furnish as per specifications for the prices shown below.

Description

Bid Proposal

2017 Model or Newer 66,000 Tandem Axle Dump
Truck(s) with 16 Foot Dump Body.

Unit Cost \$ _____

The undersigned agrees to deliver within 60 days of award. Failure to do so may result in cancellation of award. If cancellation of award occurs, new award will be made to the next lowest bidder meeting required specifications.

Print Name _____

Signature _____

Title _____

Company _____

Address _____

City _____ State _____ Zip _____

Telephone Number _____

Fax Number _____